
# NATURAL DISASTERS OF BANGLADESH: MONITORING-MAPPING

# **South Asia Geospatial Forum**


HICC, Hyderabad, India
9 February 2015

#### M. Monowar Hossain

Institute of Water Modelling (IWM), Dhaka, Bangladesh www.iwmbd.org



# **Geographical Settings of Bangladesh**



# Water Disaster in Bangladesh

- > Floods
- **Droughts**
- > Riverbank Erosion

- > Salinity intrusion
- Cyclone and storm surge
















# Challenges due to Climate Change



## Water Hazard Distributions in Bangladesh



# **Inundation Map of Flood of 1998**





### **Preparation of Flood Inundation Map**

# Inundation Maps for 25, 50, 100 and 500 year return period

Selection of design year for 25, 50, 100 and 500 return period




Simulation of models for selected design year




Inundation maps using the simulation results file and ARC GIS




# **Example: Flood plain inundation map for Arial Khan-Naria Khal**




## Google Earth map of Aria Khan-Naria Khal



# River Streams-DEM (Left); Extracted bathymetry Grid-Naria Khal (Right)







Tools: HECRAS, HEC-GeoRAS, ArcView GIS and ArcGIS

#### **Zoom of TIN-Arial Khan- Naria Khal Confluence**


# **Geometric Data extraction of Flood plain from TIN**






# DEM without bathymetry data

# **DEM with Bathymetry data**







# Flood Plain Map of Arial Khan-Naria Khal




### Flood Hazard (50 and 100-yr from recent studies of IWM & DDM)






# Impact of Climate Change




#### **Different Models Used for Flood Map**

- Ganges, Brahmaputra and Meghna (GBM)Basin Model
- Bay of Bengal Model (BoBM)
- General Model
- Regional Models
  - ➤ North west Regional model
  - > North east Regional Model
  - ➤ North Central Regional Model
  - ➤ South West Regional Model
  - South East Regional Model
  - ➤ Eastern Hilly Regional




### **Different Models Used for Flood Map**






### **Different Models Used for Flood Map**



# **Coastal Flood Risk Maps**





**Base Condition** 


**Climate Change Condition** 

An area of 20,745 km<sup>2</sup> will be inundated by more than 1m water depth in the changing climate

### **Example: Preparation of Multi-hazard Map**









Tornado Intensity of Bangladesh

Flood Intensity Bangladesh, 1998









**Droughts Effected Areas** 

Earthquake Zones









### Risk Factors Considered

**RISK MAP** 















# RISK MAP: RECLASSED IN 10 SCALE







# RISK MAP: RECLASSED IN 10 SCALE







# RISK MAP: RECLASSED IN 10 SCALE





# Combined Risk Map





### Results

Population Density governs most followed by trans-boundary flow in overall Risk assessment while for flood risk-transboundary flow governs

Divisions	Indexes							
	2	3	4	6	7	8	10	<b>Grand Total</b>
Barisal	2	2	1	1				6
Chittagong	6		1	3		1		11
Dhaka		3	4	7		1	2	17
Khulna	3		1	6				10
Rajshahi	2		2	10	1	1		16
Sylhet		1	2	1				4
Grand Total	13	6	11	28	1	3	2	64



### Recommendations

Risk weighting should be more practical

Early preparedness can be included as a tool for risk mitigation.

Natural hazard maps (order-wise) should be made handy and updated regularly

Decision makers, planners, disaster managing professionals should be well aware about impacts of disasters and use of maps properly

For early preparedness in terms of individual hazards community should be involved for better management



